

AMINOLAB
Every Particle Counts

AMINOLAB LTD. Analytical Laboratory Services
T +972.8.930.3333 F +972.8.930.3300
Weizmann Science Park 1, Pinhas Sapir St., P.O.B 4074 Ness Ziona, 70400 Israel

14/05/2023
No.014850.23

COPY IS ORIGINAL



CERTIFICATE OF ANALYSIS No.014850.23

Aminolab No.: 037358.23-P
Sample name: Natural Medjoul Dates, Lots No:
20170523/23080623/25210623/28120723/
30260723
Sample reception: 04/05/2023
Sampled by: The Customer
Sampling type: --

Analyses Results:

| Analysis | Units | Results | Remarks |
|--------------------------------|-------|---------|---------|
| Pesticide Residues by GC-MS | mg/Kg | ND | 1 |
| Pesticide Residues by LC-MS/MS | mg/Kg | ND | 1 |

Analyses Remarks:

(-) = No Comments

- List of pesticides analyzed including the limits of detection and quantitation and accreditation, was sent to the customer.

ND=Not Detected

Quality Assurance:

| Analysis | Method / Standard | Remarks |
|--------------------------------|---------------------------------|---------|
| Pesticide Residues by GC-MS | In house procedure by GC-MS | a,b,c |
| Pesticide Residues by LC-MS/MS | In house procedure by LC-MS/MS. | a,b,c |

Accreditations / Certifications:

The laboratory is accredited under ISO/IEC 17025 with standard operating procedures.

- Aminolab has the recognition to perform this analysis by the Israeli Ministry of Health.
- Aminolab has the recognition to perform this analysis by the Israeli Ministry of Agriculture.
- Aminolab is accredited to perform this analysis under ISO/IEC 17025 by ISRAC.

ISRAC is not responsible for the testing results conducted by Aminolab Laboratories.

Aminolab's accreditation is not considered as an approval of ISRAC to the testing results.

This document must be referred to entirely and copying of any part of it to other documents is forbidden.

ISRAC accreditation is not considered as an approval of either the Aminolab procedures or its personnel.

Approved by: Lara Goldenberg, Ph.D.-Deputy Lab. Manager



Signature: _____

This certificate is valid only when it is presented in its complete format, and it is not permitted to extract part for inclusion in any other document. The data presented accurately expresses the results for the sample received only. It is not permitted to use Aminolab Ltd's name or its reputation in respect to the above - specified results, without Aminolab written consent.

COPY AS ORIGINAL

ISRAC
 הרשות הלאומית
 להסמכת מעבדות
 ISO/IEC 17025
 No. 005 ט"ו

CERTIFICATE OF ANALYSIS No.--014850.23

Aminolab No.: 037358.23-P
Sample name: Natural Medjoul Dates, Lots No:
 20170523/23080623/25210623/28120723/
 30260723
Sample reception: 04/05/2023
Sampled by: The Customer
Sampling type: --

Analyses Results:

| Analysis | Units | Results | Remarks |
|------------------------|-------|---------|---------|
| Aflatoxins G1 G2 B1 B2 | | | 1 |
| Aflatoxin G1 | ppb | ND | - |
| Aflatoxin G2 | ppb | ND | - |
| Aflatoxin B1 | ppb | ND | - |
| Aflatoxin B2 | ppb | ND | - |
| Ochratoxin A | ppb | ND | 2 |

Analyses Remarks:

(-) = No Comments

1. Aflatoxin B1 and total Aflatoxins B&G - The allowed limit for food in Israel (except for a number of food products) is according to the European standard number 1881/2006, which is valid in Israel from 2023.

2. Ochratoxin A- The allowed limit for food in Israel (except for a number of food products) is according to the European standard number 1881/2006, which is valid in Israel from 2023.

ND=Not Detected

Approved by: Lara Goldenberg, Ph.D.-Deputy Lab. Manager

Signature: _____

Aminolab No.: 037358.23-P

14/05/2023

No.--014850.23

COPY AS ORIGINAL

ISRAC
 הרשות הלאומית
 להסמכת מעבדות
 ISO/IEC 17025
 No. 005 ט"ו

Quality Assurance:

| Analysis | Method / Standard | Remarks |
|------------------------|--|---------|
| Aflatoxins G1 G2 B1 B2 | Based on AOAC 994.08 + 999.07, by HPLC method with immunoaffinity clean up. LOD: for Aflatoxins B2,G1,G2 = 1ppb, for Aflatoxin B1=0.5ppb | a,b |
| Ochratoxin A | Based on AOAC 991.44, by HPLC, LOD=0.5ppb. | a,b |

Accreditations / Certifications:

The laboratory is accredited under ISO/IEC 17025 with standard operating procedures.

a. Aminolab has the recognition to perform this analysis by the Israeli Ministry of Health.

b. Aminolab is accredited to perform this analysis under ISO/IEC 17025 by ISRAC.

ISRAC is not responsible for the testing results conducted by Aminolab Laboratories.

Aminolab's accreditation is not considered as an approval of ISRAC to the testing results.

This document must be referred to entirely and copying of any part of it to other documents is forbidden.

ISRAC accreditation is not considered as an approval of either the Aminolab procedures or its personnel.

Approved by: Lara Goldenberg, Ph.D.-Deputy Lab. Manager

Signature: _____

This certificate is valid only when it is presented in its complete format, and it is not permitted to extract part for inclusion in any other document. The data presented accurately expresses the results for the sample received only. It is not permitted to use Aminolab Ltd's name or its reputation in respect to the above - specified results, without Aminolab written consent.

* End of Certificate of analysis *